







comfortable Performance Series

SLIM ERGONOMIC DESIGN AND UNRIVALLED CUTTING PERFORMANCE

Unrivalled cutting performance, slim ergonomically designed body and excellent visibility. The NSK S-Max M Series has been designed without compromise. Experience it for yourself.





Clean Head System



The patented NSK Clean Head System is a special mechanism designed to automatically prevent the entry of oral fluids and other contaminants into the handpiece head prolonging the life of the bearings.

NSK "UP2" Push Button Chuck



The new NSK chuck design guarantees outstanding bur retention and patient safety. The push button head cap is designed for comfortable easy bur release.

NSK "ISB" Integrated Shaft Bearings

In the NSK ISB, the shaft itself forms the inner race. Unification of the shaft and the inner race provide higher rigidity which in reduces vibration and guarantees more accurate and

consistent cutting.



Quattro Water Spray & Cellular Glass Optics



The NSK Quattro Water Spray effectively cools the entire operating field whilst the cellular glass optic rod delivers light exactly where it is needed.

Cartridge Replacement



Cartridges are easily replaced in your practice helping you to control cost and down-time. The replacement cartridge incorporates the spray holes to guarantee cartridge and water spray always work well together.

Slim design with stainless steel body

Slim ergonomically designed instrument body guarantees excellent visibility and comfortable operation allowing you to work even more precisely and effectively.





- Clearer
- Durable
- Safer

Just by changing your coupling for an NSK LED coupling you can introduce the latest technology to your treatment and benefit from unmatched illumination.



comfortable Perform




S-Max Connect Direct to KaVo[®] MULTIflex[®]

TURBINE 7

Connect Direct to Sirona[®], W&H[®], Bien-Air[®] Couplings

 Miniature Head :
 Power : 16 W, Speed: 380,000 - 450,000 min⁻¹, Head Size : ø10.6 x H12.5 mm

 Standard Head :
 Power : 17 W, Speed: 360,000 - 430,000 min⁻¹, Head Size : ø12.1 x H13.5 mm







Sirona® Quick Coupling

Miniature: Optic MODEL: M500SL ORDER CODE: P1009 Standard: Optic MODEL: M600SL ORDER CODE: P1010





Miniature: Optic MODEL: M500WL ORDER CODE: P1013 Standard: Optic MODEL: M600WL ORDER CODE: P1014



Miniature: Optic MODEL: M500BL ORDER CODE: P1011 Standard: Optic MODEL: M600BL ORDER CODE: P1012

5-Max M600M



W&H" is a registered trademark of W&H Dentalwerk Bürmoos GmbH Bien-Air[®] and Unifix[®] are registered trademarks of Bien-Air Dental S.A. 8 TURBINE





4:1

MODEL: M95L ORDER CODE: C1023 Non-Optic MODEL: M95 ORDER CODE: C1026 1:5 Increasing
Quattro Spray
For FG burs (ø1.6)
Max Speed: 200,000 min⁻¹



5-MOX M254

S-MOX MISL

S-Max M65

MODEL: M15L ORDER CODE: C1025 Non-Optic MODEL: M15 ORDER CODE: C1028 4:1 Reduction

- Single Spray For CA burs (ø2.35)
- Max Speed: 10,000 min⁻¹

Non-Optic MODEL: M65 ORDER CODE: H1008

1:1 Direct Drive

- Single Spray For HP burs (ø2.35) For CA burs (ø2.35)*
- *Need to insert the supplied bur stopper
- Max Speed: 40,000 min-1

| 1/11 | |
|----------|--|
| <u> </u> | |

Washable in the thermodisinfector 135°C Autoclavable up to 135°C





Ceramic Bearings



1:5

Ceramic Bearings are 25% harder than conventional steel bearings but are only half the weight. Because frictional wear between the ball bearings and the bearing retainer is significantly reduced the efficiency and durability is significantly increased. (M95L / M95)

Clean Head System



The patented NSK Clean Head System is a special mechanism designed to automatically prevent the entry of oral fluids and other contaminants into the handpiece head prolonging the life of the bearings.

Quattro Water Spray & Cellular Glass Optics



The NSK Quattro Water Spray effectively cools the entire operating field whilst the cellular glass optic rod delivers light exactly where it is needed. (Quattro Water Spray: M95L / M95)

NSK "UP2" Push Button Chuck

The NSK's original chuck structure, UP2 realizes increase of bur retention strength and increases safety. At the same time, the size of head-cap has been designed bigger, which enables women doctors to insert and remove burs easily. (M95L / M95)

Quiet and no vibration

NSK ultra-precision micro machining technology know-how has been applied to design an internal gearing system that remarkably reduces noise and vibration to the lowest level resulting in improved comfort for patients and clinicians.



Ergonomic design with stainless steel body

The instrument design guarantees best possible access to the operating site, excellent balance and tactile feel.



comfortable Performance Series CONTRA-ANGLES

INCOMPARABLE POWERFUL CUTTING AND SUPERB GRIP

S-Max M Series contra-angles allow cost-effective powerful cutting. Durable and quiet the ergonomic and well balanced instrument allows good accessibility and has superb grip. The NSK S-Max M Series has been designed without compromise. Experience it for yourself.



Specifications are subject to change without notice. 2009.3



