Perfect in every detail.

Excellent performance and outstanding reliability, a device suitable for every possible washing requirement.

Advanced Highea ultrasound tanks, designed with the most modern technology and the very best materials: simplicity and efficiency for in-depth instrument cleaning.





Technical data	Highea 3
Voltage (V)	
Frequency (Hz)	
Ultrasound frequency (kHz)	
Total power (W)	280
Effective ultrasound power (W)	80
Peak ultrasound power (W)	320
Heating elements power (W)	200
Dimensioni W/D/H (mm)	300 / 179 / 214
Internal tank dimensions W/D/H (mm)	240 / 137 / 100
Basket dimensions W/D/H (mm)	198 / 106 / 50
Maximum water volume (I)	2,75
Max. load (kg)	1
Weight (kg)	3,3
Tank material	
Lidding material	
Drainage connector	

Highea 3
•
•
2
•

= standard

 Stabilimento / Plant

 Via Bicocca, 14/c

 40026 Imola - Bo (Italy)

 tel. +39 0542 653441

 fax +39 0542 653601

 Sede Legale ed Amministrativa

 Headquarters

 Cefla s.c.

 Via Selice Provinciale, 23/a 40026

 Imola - Bo (Italy)

 tel. +39 0542 653111

 fax +39 0542 653344



Highea 6	Highea 9
220-240	
50 / 60	
37	
550	550
150	150
600	600
400	400
365 / 186 / 264	365 / 278 / 264
300 / 151 / 150	300 / 240 / 150
255 / 115 / 75	255 / 200 / 70
5,75	9,5
5	6
5,1	5,9
Stainless Steel	
Stainless Steel	
3/8"	

•	,
•	•
2 2	
•	•



Highea ultrasound tanks The simple efficiency of ultrasound

All the power of ultrasound.

Intense cleaning thanks to the most effective, modern technology.

A new generation of ultrasound tanks, now more complete and powerful than ever. Highea ultrasound tanks have been designed to provide maximum reliability and extreme flexibility.Ultrasound technology makes it possible to remove dirt from the surfaces of immersed objects, thoroughly cleaning even those parts that are most difficult to reach and hidden holes. Innovative technology and the very best materials: the perfect instrument for all your daily cleaning requirements.





highea

Outstanding quality

Intense, effective cleaning thanks to wash time and temperature settings, high-power high-quality ultrasound, Sweep and Degas functions.

3 volumes to meet every need A full range of three sizes to suit the space and load requirements of any surgery.

Simply Highea User-friendly keypad, time and temperature LEDs, drain tap and carry handles.







Versatile load capacity

Available in three sizes, Highea ultrasound tanks are perfect whatever the surgery's space or load requirements. The 3-litre tank is suitable for loads of up to 1 kg, while the 6-litre version has a maximum capacity of 5 kg. The 9-litre tank can hold loads of up to 6 kg.

Advanced functions

Thanks to the heating function the temperature can range from 30 to 80 °C with 5 °C setting steps. LED lights indicate set temperature and current temperature at all times. The Highea ultrasound tank lets you select a wash time from 1 to 30 minutes. It's also possible to wash continuously for an indefinite time.

Innovative, reliable and complete

Highea ultrasound tanks are designed to respond to the operative needs of every surgery. Cutting-edge technology, user-friendliness and maximum reliability ensure Highea devices are always ready and in perfect working order.



Side tap

The tank can easily be drained via the rear outlet by turning the laterally positioned tap 90°.



Positionable discharge

The angled rear connector is connected to the discharge point. It can swivel through 360°, perfectly adapting to any workspace.



Complete equipment set

disinfectants during the same wash.

All Highea ultrasound tank models come with a standard

equipment set complete with two beakers and a beaker holder. These containers are essential for washing very small instruments or when you need to use different detergents or

Practical lid The plastic lid protects against any splashing, suppresses noise and

accelerates liquid heating.



Filling level A maximum fill level warning prevents any liquid overflow during washing.

ULTRASOUND. ADVANCED MODES


Ultrasound technology

Ultrasound washing uses special piezoelectric oscillation systems that transform high frequency energy into mechanical energy, generating millions of micro-bubbles in the in-tank liquid. The compression exerted by the vibrating waves fills the micro-bubbles, causing them to implode. This generates high-energy jets that strip dirt from the surfaces of the immersed objects, cleaning even those parts that are most difficult to reach and hidden holes.



The power of ultrasound

The wash system is based on a system of high-performance transducers operating at a wash frequency of 37 kW, the frequency that optimises the cavitation effect.



Sweep mode

Sweep mode allows for higherperformance, more homogeneous treatment by continuously shifting maximum pressure within the cleaning liquids.



Degas function

Moreover, the Degas and AutoDegas functions induce - by applying alternate waves - explosion of the micro-bubbles in the liquids to maximise wash efficiency.

